Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4755	cool\$3 with (battery or accumulator) with (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:57
L2	3133	L1 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:58
L3	1894	L2 and (charg\$3 or voltage) and (fan or coolant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:58
L4	205	L3 and ("320"/\$.ccls. or "324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/01/11 16:59
L5	110	L4 and @py<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:03
L6	21	L5 and charger and (process\$3 or method or micro\$1processor) and (memory or ROM or RAM or storage\$medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:04
S1	95	(320/158).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 14:49
S2	4	(("6433517") or ("5714866")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 16:30
S3	23	(320/144).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 16:31
S4	132	(320/153).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/06 16:31

		<u> </u>	<del></del>	r		
S8	924	((320/143,150,151,156,161) or (324/430/431)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/09 10:47
S9	18	("20020140405"   "4659977"   "5157320"   "5339018"   "5430363"   "5623197"   "5710507"   "5872453"   "5978719"   "6150793"   "6202615"   "6232748"   "6252377"   "6363315"   "6481406"   "6563288"   "6630810"   "6647939").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 09:20
S10	4	("5038728"   "5347966"   "5721688"   "5898282").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:23
S11	8500	((charger or charging) same (battery or accumulator or storage)) and temperature and ((first or one) with voltage) and ((second or two) with voltage) and (compar\$4 or different\$4)	US-PGPUB; USPAT; USOCR	OR .	ON	2006/01/09 10:30
S12	6531	S11 and (storage or storing or memory or ROM or RAM)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:29
S13	4674	S12 and ((compar\$4 or different\$4) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:40
S14	1789	S13 and (micro\$1processor or CPU or (central\$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:33
S15	1217	S13 and cool\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:32
S16	1965	S13 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S17	802	S16 and (micro\$1processor or CPU or (central\$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S18	328	S17 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb\$1acid or Li\$1ion)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S19	5052	S12 and ((compar\$4 or different\$4 or difference) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:40
S20	2145	S19 and (cool\$3 or ((reduc\$4 or lower\$3) with temperature))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41

S21	854	S20 and (micro\$1processor or CPU or (central\$1processing\$1unit))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:41
S22	342	S21 and (nickel\$1metal\$1hydride or nickel\$1cadmium or lead\$1acid or lithium\$1ion or Ni\$1MH or Ni\$1Cd or Pb\$1acid or Li\$1ion)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:42
S23	275	S22 and (apply\$3 or charge) and ((complet\$3 or finish\$3 or stop\$4 or end\$3 or terminat\$3) same charg\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:46
S24	159	S23 and cool\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/09 10:48
S25	1148	((320/143,150,151,156,161,158, 144,153) or (324/430/431)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/09 10:48
S26	14	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/09 10:48
S27	2	("5049804").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/09 15:56